

S/N 680-0065, Registration N901S



AIRFRAME

Total Time Airframe 4,156 Hours 2,967 Landings

ENGINES

Pratt & Whitney PW306C, Enrolled on Power Advantage Plus

Serial No: PCECG0137 4,156 Hours 2,967 Cycles Serial No: PCECG0016 4,156 Hours 2,967 Cycles

APU

Honeywell RE100-CS, Enrolled on AUX Advantage

MAINTENANCE

2020 Compliance Completed by Cessna SAT, February 2019
B-RNAV,MNPS, Nat-MNPS, RNP-10, RNP-5, RVSM Certifications
CESCOM Maintenance Tracking



S/N 680-0065, Registration N901S

AVIONICS

- DU-1080 Four 8 x 10" Flat Panel LCD Displays
- Dual Automatic Flight Control w/3 Axis Autopilot & Flight Dir.
- Dual MRC-855 VHF COMMs /Dual MRC-855 DMEs
- Honeywell Automatic Direction Finder
- Dual Primus NAVs w/VOR/Localizer/Marker Beacon/Glide Scope
- Dual Honeywell Mode S Transponder w/Enhanced Surveillance
- Dual Air Data Systems
- Dual MFD Units w/Integrated FMS & Honeywell MC-850 GPS
- Collins AHC-3000 Dual AHRS
- Honeywell HF-1050 High Frequency Radio
- Coltech CSD-714 SELCAL
- Honeywell Comm. Management Function w/VHF Datalink Radio
- Dual Radio Tuning Units

ADDITIONAL EQUIPMENT

- ADS-B Out Compliant (SB680-34-33)
- WAAS/LPV Compliant (SB680-34-27)
- Swing Down Flight Deck Monitor
- Single Point Refueling
- Thrust Reversers w/Stow Locks
- Angle of Attack Indicator
- Anti-Ice System

- Dual Honeywell AV-85A Digital Audio Amplifiers
- Primus 880 Color Weather Radar w/Turbulence Detection
- Honeywell TCAS with 7.1 Upgrade (SB680-34-30)
- TAWS with Windshear Detection & Alerting
- Honeywell AA-300 Radar Altimeter
- Aircell ST-3100 Iridium Phone w/Dual Channel Antenna
- L3 Communications GH-3000 ESIS
- L3 Communications FA2100 CVR
- L3 Communications FA2100 FDR (Provisions Only)
- Dual BF Goodrich Standby EHSI
- Dual Channel Full Authority Digital Electronic Controls
- Altitude/Airspeed & Vertical Speed Indicators
- Honeywell Data Management Unit
- 3-Frequency ELT w/Self Contained Battery Pack
- 76 Cubic Ft. Oxygen System
- Emergency Oxygen System
- Heated Tail Cone Baggage
- Dual EFIS Clocks
- British Petroleum Turbo Oil 2380
- Beacon Lights
- Pylon Work Lights



S/N 680-0065, Registration N901S





ADDITIONAL EQUIPMENT

Pulse Light System
Underwater Locator Beacon
Wing-Tip Strobes
Dual Aural Warning / Tone Generation Systems
Fault Recording, Ground Maintenance Access, Downloading
Saft Dual Nickel Cadmium Batteries (Exchange)
Three 4-Person Winslow Life Rafts (Part 135 & 3-Freq. ELT)
Individual Cabin Seat Over Water Life Vests
Life Raft Mooring Ring

INTERIOR

Fireblocked interior is a double club configuration, seats with lateral tracking, 350 degree swivel and recline, and four executive tables. Two crew seats are fully adjustable and include 5-point harnesses. Forward right extended refreshment center is complete with dual hot tank beverage capability, microwave, large ice storage drawer and ample storage, forward left coat closet with navigation chart, flight manual, coat/briefcase storage as well as large centerline closet. Additional cabin amenities include Airshow 4000 with Cabin Briefing System, eight 110VAC outlets, four 7-Inch monitors, individual air outlets & reading lights, indirect lighting, dropped aisle lighting and pleated electric window shades.

EXTERIOR

NEW 6/2013 – Overall white with red, silver and dark blue accent striping.



























